

## DAMPA Lay-In/Aluminium

Module 600 × 600 mm, material thickness 0.7 mm

Product	Average Consumption	Packing
Main Tee Runner/3600	0.9 m/sq. m	25 units/box
Cross Tee Runner/1200	1.7 m/sq. m	50 units/box
Cross Tee Runner/600	0.9 m/sq. m	75 units/box
Angle Runner	1.0 m/sq. m	40 units/box
Adjustment Clip	0.7 unit/sq. m	100 units/box

## DAMPA Lay-In/Steel

Module 600 × 600 mm, material thickness 0.5 mm

Module 625 × 625 mm, material thickness 0.5 mm

Product	Average Consumption	Packing
Main Tee Runner/3600	0.9 m/sq. m	25 units/box
Cross Tee Runner/1200	1.7 m/sq. m	50 units/box
Cross Tee Runner/600	0.9 m/sq. m	75 units/box
Angle Runner	1.0 m/sq. m	40 units/box
Adjustment Clip	0.7 unit/sq. m	100 units/box


We reserve the right to alter described material without prior notification.

### Main Tee Runner

Size T-15: 38 × 15 × 3600 mm

Size T-24: 38 × 24 × 3600 mm

Material: Galvanised steel with stove enamelled aluminium/steel capping




### Cross Tee Runner

Size T-15: 38 × 15 × 600/1200 mm

Size T-24: 38 × 24 × 600/1200 mm


Material: Galvanised steel with stove enamelled aluminium/steel capping



### Angle Runner

Size: 24 × 24 × 3050 mm

Material: Galvanised steel, stove enamelled



### Adjustment Clip

Size: 14 mm


Material: Galvanised steel



### Edge Trim

Size: 20 × 40 × 20 × 3050 mm

Material: Galvanised steel, stove enamelled



### Clip for Edge Trim

Material: Galvanised steel

